Warm

4900

Design By Ramos & Bassols

WARM is a table lamp with an off-white screen mesh shade that is appealing, elegant, and adaptable to any atmosphere. Designed by Ramos & Bassols, the body is finished in off-white matte lacquer. On/off switch on the cord. Frosted acrylic top diffuser.

Spec sheet

Finish	10 White
	NCS S 0300-N

Dimming	On/Off

Installation type	Surface

Driver	120 V V 60 Hz HZ

IP20 | c(UL)us | Dry Location | 60Hz | 120V

Application	Floor and Table Lamps

Packaging	2 Box
	16.54 m x 16.54 m x 24.02 m
	Gross weight 13.44
	Net weight 12.09
	Vol. 6.3249

ø 16 1/2″

9 1/2″

24″

ø 12 3/4″

**Any modifications require a minimum order quantity and extra lead time**

Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.

Photometric Data

Warm

4901

Design By Ramos & Bassols

WARM is a table lamp with an aluminum shade that is warm, elegant, and adaptable to any atmosphere. Designed by Ramos & Bassols, it is available in four colors: white, beige, brown, and green.

Spec sheet

ø 16 1/2″

9 1/2″

24″

ø 12 3/4″

Any modifications require a minimum order quantity and extra lead time

Finish		
25	Beige D1	NCS S 4005-Y50R
56	Green D1	NCS S 7010-G30Y
28	Brown M1	NCS S 4020-Y60R
10	White	NCS S 0300-N

Dimming   On/Off

Installation type   Surface

Driver   120 V V 60 Hz HZ

| IP20 | c(UL)us | Dry Location | 60Hz | 120V |

Application   Floor and Table Lamps

Packaging
2 Box
16.54 m x 16.54 m x 24.02 m
Gross weight 14.76
Net weight 13.28
Vol. 6.3249

Lighting effect
General lighting -

Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.


Photometric Data

Warm

4906

Design By Ramos & Bassols

WARM is a floor lamp with an aluminum shade that is warm, elegant, and adaptable to any atmosphere. Designed by Ramos & Bassols, it is available in four colors: white, beige, brown, and green.

Spec sheet

Finish

56	Green D1
	NCS S 7010-G30Y

25	Beige D1
	NCS S 4005-Y50R

28	Brown M1
	NCS S 4020-Y60R

10	White
	NCS S 0300-N

Dimming   On/Off

Installation type   Surface

Driver   120 V V 60 Hz HZ

| IP20 | c(UL)us | Dry Location | 60Hz | 120V |

Application   Floor and Table Lamps

Packaging   2 Box
67.32 m x 14.17 m x 15 m
Gross weight 25.55
Net weight 23
Vol. 10.8064

ø 16 1/2″
9 1/2″
59″
ø 12 3/4″

**Any modifications require a minimum order quantity and extra lead time**

Lighting effect
General lighting -

Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.

Photometric Data

VIBIA, INC.

Office / Oficina

272 Fernwood Ave. Edision, NJ 08837. USA

International T 732 417 1700
Spain / Portugal T +34 934 796 970

sales@vibia.com
www.vibia.com/us/usa

Warm

## 4925

Design By Ramos & Bassols

WARM is a tapered drum pendant with an off-white screen mesh shade that is appealing, elegant and adaptable to any atmosphere. Designed by Ramos & Bassols, with frosted top and bottom diffusers.

Spec sheet

Finish	10 White
	NCS S 0300-N
Installation type	Surface
Driver	120 V V 60 Hz HZ
	IP20 c(UL)us Dry Location 60Hz 120V
Application	Pendants
Packaging	1 Box
	28.35 m x 28.35 m x 19.69 m
	Gross weight 13.44
	Net weight 12.78
	Vol. 9.1536

ø 7″

max. 157″

14 1/2″

ø 24 1/2″

undefined: undefined

**Any modifications require a minimum order quantity and extra lead time**

Lighting effect

General lighting

Lamp for general lighting that equally distributes the light in all directions.

Photometric Data

Warm

4926

Design By Ramos & Bassols

WARM is a tapered drum pendant with an opaque aluminum shade that is warm, elegant, and adaptable to any atmosphere. Designed by Ramos & Bassols, it is available in four colors: white, beige, brown or green matte lacquer.

VIBIA

Spec sheet

Finish	28	Brown M1
		NCS S 4020-Y60R
	10	White
		NCS S 0300-N
	25	Beige D1
		NCS S 4005-Y50R
	56	Green D1
		NCS S 7010-G30Y

Installation type Surface

Driver 120 V V 60 Hz HZ

IP20 ᶜ⊔ᴸᵤₗ Dry Location 60Hz 120V

Application Pendants

Packaging 1 Box
28.35 m x 28.35 m x 19.69 m
Gross weight 20.04
Net weight 18.04
Vol. 9.1536

Lighting effect

General lighting -

Fixture suitable for general ambient illumination, distributing light mainly upward and/or downward.

Photometric Data

ø 7″

max. 157″

14 1/2″

ø 24 1/2″

undefined: undefined

Any modifications require a minimum order quantity and extra lead time